

Model 6011 Direct to Sailor

3-Axis marine stabilized antenna system with QOR™ technology compatible with C and Ku-Band satellites

COBHAM

2011 Data Sheet (beta)

The most important thing we build is trust

Model 6011 TV-at-Sea Antenna

The Model 6011 Direct to Sailor antenna system from Sea Tel is a radically new design providing seamless TV reception around the world. The new cutting edge design of 6011 is based on Sea Tel's QOR (Quadrature Oriented Reflectors) technology and enables users to receive TV on Global Circular C Band or both Linear and Circular Ku Band satellite services. The QOR architecture incorporated in the 6011 system includes two high efficiency back fire circular/linear orthogonal antenna systems utilizing a common suite of electronics on the same

stabilized pedestal and Digital Antenna Control unit (DAC).

This game changing TV at Sea system significantly reduces the total cost of owning and installing two separate systems while saving on premium deck space. With two systems under one radome, there are more choices to watch TV even in some of the most remote marine regions of the world on the numerous C and Ku Band service packages available.

The 6011 features Unlimited Azimuth operation using a 6 channel rotary joint

ensuring uninterrupted TV services, no more waiting for the system to "Unwrap".

The New Sea Tel 6011 antenna system delivers the same TV choices you enjoy on land while at sea, all at the touch of one button. The C and Ku band antenna systems are compatible with the services provided by the industry's leading satellite companies such as AFN, DIRECTV™, DISH Network™, Bell TV™, Hotbird, Sky, Orbit and DirecTV Latin America (DLA)™.

With the 6011 you will realistically never be out of range to watch TV.

Features and Benefits

- Dual Band (C and Ku) system in one radome built with QOR technology
- Fast satellite acquisition using built-in GPS antenna and proprietary algorithms.
- Based on industry leading XX09 platform for high performance 3-axis closed loop stabilization system.
- 6 Channel Rotary Joint for unlimited azimuth range.
- High performance stabilization and satellite tracking even in inclement weather.
- Sea Tel's proprietary antenna control and fast-track signal lock software.
- Receive Global programming and digital music channels.
- Designed to meet EN 60945, IEC 60950, MIL STD 901D (Grade B) and MIL STD 167 specifications.
- Support the installation of multiple satellite receivers.
- HD Ready.



Model 6011 Direct to Sailor

3-Axis marine stabilized antenna system with QOR™ technology compatible with C and Ku-Band satellites



Typical data for 6011

System Characteristics		
Radome	76" (1.9m) frequency tuned	
Pedestal Type	3-Axis: Elevation, Azimuth, Cross level	
Specifications	MIL 167-1, MIL S 901D (Grade B), IEC 60945, IEC 60950	
Response Rate	>100°/Sec	
Stabilization Accuracy	0.1°	
Ship's Motion	±25° roll, ±15 pitch°	
	C Band	Ku Band
Antenna	1.5m	1m
Polarized Feed	Circular	Linear
Feed Assembly	C Band circular polarized dual port LHCP/RHCP (3.625–4.200 GHz)	Ku Band linear polarized (10.95–12.75 GHz)
Min EIRP (Est)	33.0 dBW	42.0 dBW
Elevation Range	-15 to +115 degrees	-20 to +90 degrees
Azimuth Range	Unlimited	Unlimited

Typical data for DAC 2202 Controller

- Model: 2202
- Mounting: Rack Mount
- M & C Ports: 1 Serial, 3 TCP/IP, 1 multi-user web browser support
- UDP Upload port for updating software in the Comm Interface
- Reformatted GPS output: (GGA and GLL)
- Heading Input: NMEA 0183, SBS, Synchro or No-Gyro Mode
- Dimensions: 19" X 1.75"

For further information please contact:

Cobham SATCOM Marine Systems

U.S.A. Tel: +1 925-798-7979
 Fax: +1 925-288-1420
 Toll Free: +1-888-798-7979
 E-mail: satcom.concordsales@cobham.com

EUROPE Tel: +44 2380 671155
 Fax: +44 2380 671166
 E-mail: satcom.southamptoneurosales@cobham.com

ASIA Tel: +65 6795-2205
 Fax: +65 6515-8806
 E-mail: satcom.asiasales@cobham.com